

TENAX GP / E 2000



EXTRUDED NET

PHYSICAL AND DIMENSIONAL CHARACTERISTICS

Polymer		HDPE + FOAMING AGENT
Mesh shape		RHOMBOIDAL
Packaging		ROLLS WITH IDENTIFICATION LABEL
Color		GREEN
Thickness	mm	16,0
MD pitch	mm	28,0
TD pitch	mm	20,0
Unit weight	g/m ²	2000
Roll width	m	2,00
Roll length	m	20,0
Covered area	m ²	40,0
Roll diameter	m	0,70
Roll volume	m ³	1,03
Roll weight	kg	80,0

MECHANICAL CHARACTERISTICS

Tensile strength MD	13.0 kN/m	ISO 10319
Yield point elongation MD	30.0 %	ISO 10319
Residual thickness at 500 kPa (70 psi)	50.0 %	ASTM D1621

The data contained in this publication are based on the knowledge available at the time of printing and may be subjected to amendments due to changes of the methods of testing and/or manufacturing. All dimensions and properties are reported as typical values.

TENAX nets are thermoplastic products subjected to shrinkage and deformations. MD: longitudinal direction. TD: transversal direction.

Tenax SpA Quality System has been assessed and registered in agreement with ISO 9001:2000 Standard.

TENAX[®]

www.tenax.net