


TENAX AREA CANTIERE

Extruded density polyethylene net with ovoidal mesh.



Picture out of scale

PHYSICAL CHARACTERISTICS	TEST METHOD	UNIT	AREA CANTIERE	NOTES
POLYMER			HDPE	-
MESH SHAPE			OVOIDAL	-
COLOUR			ORANGE	-

DIMENSIONAL CHARACTERISTICS	TEST METHOD	UNIT	AREA CANTIERE				NOTES
MD PITCH		mm	60.0				-
TD PITCH		mm	55.0				-
UNIT WEIGHT		g/m ²	150.0				a
ROLL WIDTH		m	1.0	1.2	1.5	1.8	-
ROLL LENGTH		m	50.0	50.0	50.0	50.0	-
ROLL DIAMETER		m	0.17	0.17	0.17	0.17	-
ROLL VOLUME		m ³	0.03	0.04	0.05	0.05	-
ROLL WEIGHT		kg	7.7	9.2	11.4	13.7	a
INNER PACKAGING			PE BAG				-
OUTER PACKAGING			-				-

TECHNICAL C	METODO DI PROVA	UNIT	AREA CANTIERE	NOTES
TENSILE STRENGTH MD	TX3 METHOD	kN/m	1.2	b, c
ELONGATION MD	TX3 METHOD	%	5.0	b, c
TENSILE STRENGTH TD	TX3 METHOD	kN/m	1.2	b, c
ELONGATION TD	TX3 METHOD	%	5.0	b, c

IDENTIFICATION BAND CHARACTERISTICS	METODO DI PROVA	UNITA'	AREA CANTIERE	NOTES
POLYMER TYPE			PE	-
BAND TYPE			WHITE	-
WRITING			CUSTOMIZATION	-
BAND THICKNESS		µm	-	-
BAND WIDTH		mm	50.0	-
CUSTOMIZABLE UNDER MINIMUM ORDER QUANTITY		m	8000	-

NOTE:

- a) Tolleranza ± 5%
- b) TX3: 300 mm/min
- c) MD: machine direction

GEN 0919,4 - I - 08/17



www.tenax.net

TENAX SpA
 Via dell'Industria, 3
 23897 Viganò (LC)
 Tel. +39 039.9219300
 Fax +39 039.9219290
 customer.service@tenax.net



SGS ITALY Certificate n° IT93/0008.01
 SGS U.K. Certificate n° IT93/2568.01

